Wood Science and Technology

Journal for Wood and Pulp
of the International Academy of Wood Science (IAWS)

Editor: **F. F. P. Kollmann**, München

Editorial Board:

F. E. Dickinson Richmond
E. Fukada Tokyo
K. Kratzl Wien
W. Liese Hamburg
V. Nečesaný Bratislava
T. E. Timell Syracuse

Volume 7
1973

Springer-Verlag New York · Heidelberg · Berlin

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin

Printed in Germany — Copyright © by Springer-Verlag Berlin Heidelberg 1973

Contents

Originals

BANKS, W. B.: Water Uptake by Scots Pine Sapwood, and its Restriction by the Use of Water Repellents. 271

BAUCH, J., and BERNDT, H.: Variability of the Chemical Composition of Pit Membranes in Bordered Pits of Gymnosperms. 6

BOYD, J. D.: Helical Fissures in Compression Wood Cells: Causative Factors and Mechanics of Development. 92

CHOU, C. K., CHANDLER, J. A., and PRESTON, R. D.: Microdistribution of Metal Elements in Wood Impregnated with a Copper-Chrome-Arsenic Preservative as Determined by Analytical Electron Microscopy. 151

CHOU, G. K., CHANDLER, J. A., and PRESTON, R. D.: Uptake of Metal Toxicants by Fungal Hyphae Colonising CCA-Impregnated Wood. 206

COCKRELL, R. A., and KNUDSON, R. M.: A Comparison of Static Bending, Compression and Tension Parallel to Grain and Toughness Properties of Compression Wood and Normal Wood of a Giant Sequoia. 241

ECHOLS, R. M.: Uniformity of Wood Density Assessed from X-Rays of Increment Cores. 34

FOGARTY, W. M., and WARD, O. P.: Growth and Enzyme Production by *Bacillus subtilis* and *Flavobacterium pectinovorum* in *Picea sitchensis*. 261

IMAMURA, Y., and HARADA, H.: Electron Microscopic Study on the Development of the Bordered Pit in Coniferous Tracheids. 189

KIBBLEWHITE, R. P., and THOMPSON, N. S.: The Ultrastructure of the Middle Lamella Region in Resin Canal Tissue Isolated from Slash Pine Holocellulose. 112

KOŠÍKOVÁ, B., and POLČIN, J.: Isolation of Lignin from Spruce by Acidolysis in Dioxane. 308

MCMILLIN, CH. W.: Fibril Angle of Loblolly Pine Wood as Related to Specific Gravity, Growth Rate, and Distance from Pith. 251

MUGGLI, R., SARKO, A., and MARTON, R.: Small Angle Light Scattering from Single Wood Fibers. 29

MURMANIS, L., and SACHS, I. B.: Cell Wall Formation in Secondary Xylem of *Pinus strobus* L. 173

NICHOLSON, J. E., BARNACLE, J. E., and LESSE, P. F.: Evidence of Residual Stress in Small Sections of Ordinary Green *Eucalyptus regnans*. 20

NOACK, D., SCHWAB, E., and BARTZ, A.: Characteristics for a Judgment of the Sorption and Swelling Behavior of Wood. 218

PALKA, L. C.: Predicting the Effect of Specific Gravity, Moisture Content, Temperature and Strain Rate on the Elastic Properties of Softwoods. 127

PETTY, J. A.: Diffusion of Non-Swelling Gases through Dry Conifer Wood. 297

PURITCH, G. S., and JOHNSON, R. P. C.: The Structure of Freeze Etched Bordered Pit Membranes of *Abies grandis*. 256

SCHNIEWIND, A. P., and LYON, D. E.: A Fracture Mechanics Approach to the Tensile Strength Perpendicular to Grain of Dimension Lumber. 45

SMITH, D. N. R., and WILLIAMS, A. I.: The Effect of Composition on the Effectiveness and Fixation of Copper-Chrome-Arsenic and Copper-Chrome Preservatives. Part I: Effectiveness. 60

SMITH, D. N. R., and WILLIAMS, A. I.: The Effect of Composition on the Effectiveness and Fixation of Copper-Chrome-Arsenic and Copper-Chrome Preservatives. Part II: Selective Absorption and Fixation. 142
STAMM, A. J.: Maximum Effective Lumen and Pit Pore Sizes of the Earlywood and the Latewood of Never Dried Loblolly Pine Sapwood. 212
STAMM, A. J.: Penetration of Hardwoods by Liquids. 285
TIMELL, T. E.: Studies on Opposite Wood in Conifers. Part I: Chemical Composition. 1
TIMELL, T. E.: Studies on Opposite Wood in Conifers. Part II: Histology and Ultrastructure. 79
TIMELL, T. E.: Studies on Opposite Wood in Conifers. Part III: Distribution of Lignin. 163

Letters to the Editor

MALONEY, T. M.: Seventh Particleboard Symposium Held at Washington State University. 317
IAWS Bulletin Board. I, III

Book Reviews

BIKALES N. M., and SEGAL, L.: Cellulose and Cellulose Derivatives. High Polymers. 237
CRAFTS, A. S., and CRISP, C. E.: Phloem Transport in Plants. 321
FORD-ROBERTSON, F. C.: Terminology of Forest Science, Technology, Practice and Products. 322
GIBBS, M.: Structure and Function of Chloroplasts. 160
JAYNE, B. A.: Theory and Design of Wood and Fiber Composite Materials. 240
ROMBERGER, J. A., and MIKOLA, P.: International Review of Forestry Research. 162
RYDHOLM, S.: Continuous Pulping Processes. 77
SKAAR, CH.: Water in Wood. 239
SMITH, W. H.: Tree Pathology: A Short Introduction. The Mechanics and Control of Pathological Stresses of Forest Trees. 161

Author Index

BANKS, W. B. 271
BARNACLE, J. E. 20
BARTZ, A. 218
BAUCH, J. 6
BERNDT, H. 6
BOYD, J. D. 92
CHANDLER, J. A. 151, 206
CHOU, C. K. 151, 206
COCKRELL, R. A. 241
ECHOLS, R. M. 34
FOGARTY, W. M. 261
HARADA, H. 189
IMAMURA, Y. 189
JOHNSON, R. P. C. 256
KIBBLEWHITE, R. P. 112
KNUDSON, R. M. 241
KOŠÍKOVÁ, B. 308
LESSE, P. F. 20
LYON, D. E. 45
MARTON, R. 29
MCMILLIN, CH. W. 251
MUGGLI, R. 29
MURMANIS, L. 173
NICHOLSON, J. E. 20
NOACK, D. 218
PALKA, L. C. 127
PETTY, J. A. 297
POLČIN, J. 308
PRESTON, R. D. 151, 206
PURITCH, G. S. 256
SACHS, I. B. 173
SARKO, A. 29
SCHNIEWIND, A. P. 45
SCHWAB, E. 218
SMITH, D. N. R. 60, 142
STAMM, A. J. 212, 285
THOMPSON, N. S. 112
TIMELL, T. E. 1, 79, 163
WARD, O. P. 261
WILLIAMS, A. I. 60, 142

Indexed in Current Contents

Information for Authors

Original papers describing research in the fields of wood science and technology, including pulping processes and pulp properties, will be considered for publication. Review papers in these areas will also be accepted. Articles must be written in English with consistent use of either American or British spelling. They must represent an original contribution and may not, after acceptance, be submitted for publication elsewhere.

Manuscripts: Manuscripts should be typed with double space and a wide margin. Major and minor headings should be centered on the page and have initial capitals where proper. The title heading should be followed by the author's name and professional affiliation. The complete address of each author is given at the end of the paper. The abstract should present the highlights of the paper in a concise form, suitable for direct use in the abstract literature. Acknowledgements should be made in a footnote to the title heading. Latin names to be printed in italic type should be underlined with a sinuous line.

Literature references: Either one of two reference systems can be used. In the first, each citation is complete, and the reference is by author and year of publication. References are listed alphabetically at the end of the paper according to the first author. Volume number of journals is printed in boldface Names of journals should be abbreviated according to Chemical Abstracts, Biological Abstracts, or Forestry Abstracts, with preference in this order.

Journal Articles:
Liese, W., Bauch, J. 1967. On the closure of bordered pits in conifers. Wood Sci. Technol. 1: 1—13.

Books:
Wardrop, A. B. 1964. Structure and formation of the cell wall in xylem. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87-134.

According to the second system references are also introduced by author and year, but the alphabetical reference list may be abbreviated as follows.

Journal Articles:
Liese, W., Bauch, J. 1967. Wood Sci. Technol. 1: 1.

Books:
Wardrop, A. B. 1964. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87.

Figures: Illustrations are to be restricted to absolutely necessary clarifications of the text. The same information must not be presented in both a table and a figure. Figures are numbered with arabic numerals. Line drawings should, if at all possible, conform to the style of the journal and be done in India ink. Original drawings or photographic copies on glossy paper should be submitted with the manuscript. Letters and numbers must be sufficiently large to be readily legible after reduction to printed size. Photographs and photomicrographs must be printed on high-gloss paper and be rich in contrast. Lettering and other markings can be made by the author, provided they conform to the style of the journal; otherwise this will be done by the editorial office. In the latter case they should be submitted on a cover sheet. The orientation of the illustrations should be indicated. Photomicrographs should have a mark indicating magnification, preferably in micrometer. Only one set of original illustrations has to be submitted. Figure legends should be complete and readily understandable without reference to the text and be typed on a separate page in consecutive order. After publication, original illustrations will be returned to the author.

Proofs and reprints: Galley proofs are sent to the author in duplicates. One copy should be carefully corrected, using internationally accepted symbols. Authors will receive 50 reprints free of charge. Additional reprints will be supplied at cost and should be ordered on the form supplied for this purpose with the galley proofs.

The editorial office requests observance of these guidelines. This facilitates cooperation between authors and editors and helps shorten the period of publication.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin
Printed in Germany — Copyright © by Springer-Verlag Berlin · Heidelberg 1973

Wood Science and Technology

Contents — Vol. 7 (1973) No. 4

Cockrell, R. A., and Knudson, R. M.	A Comparison of Static Bending, Compression and Tension Parallel to Grain and Toughness Properties of Compression Wood and Normal Wood of a Giant Sequoia	241
McMillin, C. W.	Fibril Angle of Loblolly Pine Wood as Related to Specific Gravity, Growth Rate, and Distance from Pith	251
Puritch, G. S., and Johnson, R. P. C.	The Structure of Freeze Etched Bordered-Pit Membranes of *Abies grandis*	256
Fogarty, W. M., and Ward, O. P.	Growth and Enzyme Production by *Bacillus subtilis* and *Flavobacterium pectinovorum* in *Picea sitchensis*	261
Banks, W. B.	Water Uptake by Scots Pine Sapwood and its Restriction by the Use of Water Repellents	271
Stamm, A. J.	Penetration of Hardwoods by Liquids	285
Petty, J. A.	Diffusion of Non-Swelling Gases through Dry Conifer Wood	297
Košíková, B., and Polčin, J.	Isolation of Lignin from Spruce by Acidolysis in Dioxane	308
Maloney, T. M.	Advances in Composition Board Technology Seventh Particleboard Symposium Held at Washington State University	317
Book Reviews		321

Indexed in Current Contents

Preview of Vol. 8 (1974) No. 1

Dinwoodie, J. M.	Failure in Timber—Part II: The Angle of Shear through the Cell Wall during Longitudinal Compression Stressing
Halligan, A. F., and Schniewind, A. P.	Prediction of Particleboard Mechanical Properties at Various Moisture Contents
Kibblewhite, R. P.	Technique for Examining the Ultrastructure of Pulp Fibres
Kratzl, K., Claus, P., Lonsky, W., and Gratzl, J. S.	Model Studies on Reactions Occurring in Oxidations of Lignin with Molecular Oxygen in Alkaline Media
Larson, Ph. R., and Isebrands, J. G.	Anatomy of the Primary-Secondary Transition Zone in Stems of *Populus deltoides*
Parham, R. A., and Baird, W. M.	Warts in the Evolution of Angiosperm Wood
Ünligil, H. H., and Chafe, S. C.	Perforation Hyphae of Soft Rot Fungi in the Wood of White Spruce (*Picea glauca* (Moench.) Voss.)
Venkateswaran, A.	A Note on the Relationship between Electrical Properties and Thermal Conductivity of Woods

Springer-Verlag New York Inc., 175 Fifth Avenue, New York, N. Y. 10010
Telephone 673-2660